






















Wrasse2 (22229B)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		93
Se	0.00 µg/l	0 µg/l	-0.10		93
Cd	0.00 µg/l	0 µg/l	-0.10		93
Sn	0.00 µg/l	0 µg/l	-0.10		93
Sb	0.00 µg/l	0 µg/l	-0.10		93
As	0.00 µg/l	0 µg/l	-0.10		93
Al	4.73 µg/l	2.00 µg/l	2.73		93
Pb	0.00 µg/l	0 µg/l	-0.10		93
Ti	0.00 µg/l	0 µg/l	-0.10		93
Cu	0.00 µg/l	0 µg/l	-0.10		93
La	0.00 µg/l	0 µg/l	-0.10		93
Sc	0.00 µg/l	0 µg/l	-0.10		93
W	0.00 µg/l	0 µg/l	-0.10		93




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10582.00 mg/l	10700.00 mg/l	-118.00		93
Ca	419.00 mg/l	440.00 mg/l	-21.00		93
Mg	1443.00 mg/l	1370.00 mg/l	73.00		93
K	425.00 mg/l	400.00 mg/l	25.00		93
Br	74.00 mg/l	62.00 mg/l	12.00		93
B	3.96 mg/l	4.50 mg/l	-0.54		93
Sr	3.29 mg/l	8.00 mg/l	-4.71		93
S	994.00 mg/l	900.00 mg/l	94.00		93





Wrasse2 (22229B)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	308.00 µg/l	200.00 µg/l	108.00		93
Ni	0.00 µg/l	5.00 µg/l	-5.00		93
Mo	7.80 µg/l	12.00 µg/l	-4.20		93



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		93
Zn	0.00 µg/l	4.00 µg/l	-4.00		93
Mn	0.00 µg/l	2.00 µg/l	-2.00		93
I	9.70 µg/l	60.00 µg/l	-50.30		93


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		93
Co	0.00 µg/l	0 µg/l	-0.10		93
Fe	0.00 µg/l	0 µg/l	-0.10		93

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	2.93 µg/l	10.00 µg/l	-7.07		93
Be	0.00 µg/l	0 µg/l	-0.10		93



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	196.00 µg/l	100.00 µg/l	96.00		93

Wrasse2 (22229B)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	6.72 µg/l	6.00 µg/l	0.72		93
PO4	0.021 mg/l	0.018 mg/l	0.003		93