


## Unwanted heavy metals

Element	Analysis	Setpoint	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	■	210
Se	0.00 µg/l	0 µg/l	■	210
Cd	0.00 µg/l	0 µg/l	■	210
Sn	0.00 µg/l	0 µg/l	■	210
Sb	0.00 µg/l	0 µg/l	■	210
As	0.00 µg/l	0 µg/l	■	210
Al	0.00 µg/l	0 - 60 µg/l	■	210
Pb	0.00 µg/l	0 µg/l	■	210
Ti	0.00 µg/l	0 µg/l	■	210
Cu	0.00 µg/l	0 µg/l	■	210
La	0.00 µg/l	0 µg/l	■	210
Sc	0.00 µg/l	0 µg/l	■	210
W	0.00 µg/l	0 µg/l	■	210







## Macro-Elements

Element	Analysis	Setpoint	Warning lamp	Gallons
Na	9643.00 mg/l	10000 - 11300 mg/l	■	210
Ca	550.00 mg/l	415 - 520 mg/l	■	210
Mg	1745.00 mg/l	1320 - 1500 mg/l	■	210
K	663.00 mg/l	380 - 480 mg/l	■	210
Br	56.00 mg/l	62 mg/l	■	210
B	3.08 mg/l	4.5 mg/l	■	210
Sr	1.47 mg/l	8 - 12 mg/l	■	210
S	919.00 mg/l	900 mg/l	■	210





# Great Room - 05/08/2020 (B-0EdR8e)

## Li-Group




Element	Analysis	Setpoint	Warning lamp	Gallons
Li	373.00 µg/l	200 µg/l		210
Ni	17.00 µg/l	5 µg/l		210
Mo	2.66 µg/l	12 µg/l		210





## I-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
V	0.00 µg/l	0 - 3 µg/l		210
Zn	1.25 µg/l	0 - 5 µg/l		210
Mn	0.00 µg/l	0 - 3 µg/l		210
I	377.00 µg/l	30 - 90 µg/l		210

## Fe-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l		210
Co	0.00 µg/l	0 µg/l		210
Fe	5.17 µg/l	0 µg/l		210

## Ba-Group



Element	Analysis	Setpoint	Warning lamp	Gallons
Ba	4.58 µg/l	0 - 10 µg/l		210
Be	0.00 µg/l	0 µg/l		210

## Si-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Si	154.00 µg/l	0 - 200 µg/l		210

# Great Room - 05/08/2020 (B-0EdR8e)

## Nutrient-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
P	3.55 µg/l	6 - 23 µg/l		210
PO4	0.011 mg/l	0.018 - 0.07 mg/l		210

